

Costumized solutions for the treatment of waste from processing

Crushers



This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

| Necessary | | |
|-------------|--------------------------------------|----------------|
| Preferences | | |
| Statistics | | |
| Marketing | | |
| | | Show details > |
| | Allow all | |
| | Allow selection | |
| | Deny | |
| | Powered by Cookiebot by Usercentrics | |

An interchangeable screen is installed below the shaft which, depending on the size of the openings, defines the size of the shredded swarf and therefore the hourly output of the shredder.

The reduction efficiency of the swarf volume and the hourly output of the TRA200 shredder can be evaluated with experimental tests on your swarf at the headquarters of the company FAMA s.r.l.

| Ρ | OWER |
|---|-------|
| 2 | ν |

VOLTAGE



This website uses cookies

We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services.

| Necessary | |
|-------------|--|
| Preferences | |
| Statistics | |
| Marketing | |

Show details



Allow all

Allow selection

Deny

Powered by Cookiebot by Usercentrics



In case of breakage or wear of the tooth, simply act on the screws and replace the single knife;

- 2. The screen can be defined in advance and possibly replaced at a later time. It regulates the chip size and consequently the hourly production;
- 3. The shredder can be mounted on telescopic slides to extract it from the work seat and access the shredding mouth safely.

FAMA Srl - Impianti di aspirazione Via del Terziario, 20 - 36016 Thiene (VI) Italy Tel. +39 0445 363950 - Fax. +39 0445 386068 p.iva 02290490248

info@famaproject.com

© 2024 Copyright Fama srl - All Rights reserved

| This website uses cookies We use cookies to personalise content and ads, to provide social media features and to analyse our traffic. We also share information about your use of our site with our social media, advertising and analytics partners who may combine it with other information that you've provided to them or that they've collected from your use of their services. | | |
|---|----------------|--|
| Necessary | | |
| Preferences | | |
| Statistics | | |
| Marketing | | |
| | Show details > | |
| Allow all | | |
| Allow selection | | |
| Deny | | |
| Powered by Cookiebot by Usercentrics | | |